

Volume 32, Issue 5, May 1996 Page(s):749 - 755

Digital Object Identifier 10.1109/3.492996

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(640 KB\)](#) IEEE JNL

- ☐ **15. Dependability terminology: similarities and differences**
 Prasad, D.; McDermid, J.; Wand, I.;
 Aerospace and Electronic Systems Magazine, IEEE
 Volume 11, Issue 1, Jan. 1996 Page(s):14 - 21
 Digital Object Identifier 10.1109/62.484145
[AbstractPlus](#) | Full Text: [PDF\(632 KB\)](#) IEEE JNL
- ☐ **16. Performance of delay-lock loop in multiple pseudo-noise signals**
 Prasad, K.V.; Basu, S.G.; Sambasiva Roa, M.;
 Electronics Letters
 Volume 32, Issue 3, 1 Feb. 1996 Page(s):183 - 184
[AbstractPlus](#) | Full Text: [PDF\(200 KB\)](#) IEEE JNL
- ☐ **17. Thermal stability of GaAs MESFETs fabricated using only spin-on metal :**
 Prasad, K.;
 Electronics Letters
 Volume 32, Issue 7, 28 March 1996 Page(s):695 - 697
[AbstractPlus](#) | Full Text: [PDF\(392 KB\)](#) IEEE JNL
- ☐ **18. 3-D multiphoton laser scanning confocal microscopy as a probe for subs in polymers**
 Bhawalkar, J.D.; Swiatkiewicz, J.J.; He, G.S.; Prasad, P.N.; Pan, S.J.; Samara W.S.; Cheng, P.C.;
 Lasers and Electro-Optics, 1996. CLEO '96., Summaries of papers presented :
 on
 2-7 June 1996 Page(s):19 - 20
 Digital Object Identifier 10.1109/CLEO.1996.864307
[AbstractPlus](#) | Full Text: [PDF\(220 KB\)](#) IEEE CNF
- ☐ **19. Capacity and spectral efficiency of hybrid DS/SFH CDMA for uplink and macro cells**
 Grujev, S.; Fatah, O.; Prasad, R.;
 Global Telecommunications Conference, 1996. GLOBECOM '96. 'Communica
 Global Prosperity
 Volume 3, 18-22 Nov. 1996 Page(s):1750 - 1754 vol.3
 Digital Object Identifier 10.1109/GLOCOM.1996.591938
[AbstractPlus](#) | Full Text: [PDF\(460 KB\)](#) IEEE CNF
- ☐ **20. The influence of dopants on the properties of modified lead calcium titan**
 Ahmad, A.; Wheat, T.A.; McDonald, A.G.; Hirsch, M.; Prasad, S.E.; Varma, S.;
 Ferroelectrics, 1996. ISAF '96., Proceedings of the Tenth IEEE International S
 Applications of
 Volume 2, 18-21 Aug. 1996 Page(s):875 - 878 vol.2
 Digital Object Identifier 10.1109/ISAF.1996.598165
[AbstractPlus](#) | Full Text: [PDF\(344 KB\)](#) IEEE CNF
- ☐ **21. Shape control using embedded piezoelectric actuators**
 Wallace, J.B.; Pettit, B.E.; Prasad, S.E.; Stenne, E.; Kalaycioglu, S.; Giray, M.;
 Ferroelectrics, 1996. ISAF '96., Proceedings of the Tenth IEEE International S
 Applications of
 Volume 2, 18-21 Aug. 1996 Page(s):919 - 922 vol.2
 Digital Object Identifier 10.1109/ISAF.1996.598176
[AbstractPlus](#) | Full Text: [PDF\(404 KB\)](#) IEEE CNF
- ☐ **22. Effect of Ba doping on PZT moonie actuators**
 Ramam, K.V.S.; Acharya, V.V.N.; Trinath, K.; Prasad, N.S.; Bhanumathi, A.;
 Ferroelectrics, 1996. ISAF '96., Proceedings of the Tenth IEEE International S
 Applications of



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((prasad, ramjee<in>au) <and> (1996<in>metadata))"

e-mail

Your search matched 64 of 1235066 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((prasad, ramjee<in>au) <and> (1996<in>metadata))

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

View: 1-

- ☐ 1. **Mobile radio propagation path loss studies at VHF/UHF bands in Southern**
Rao, T.R.; Rao, S.V.B.; Prasad, M.V.S.N.; Sain, M.; Iqbal, A.; Lakshmi, D.R.;
Broadcasting, IEEE Transactions on
Volume 46, Issue 2, June 2000 Page(s):158 - 164
Digital Object Identifier 10.1109/11.868932
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(156 KB) IEEE JNL
- ☐ 2. **Robust adaptive beamforming for wide-band, moving, and coherent jamming linear arrays**
Agrawal, M.; Prasad, S.;
Antennas and Propagation, IEEE Transactions on
Volume 47, Issue 8, Aug. 1999 Page(s):1267 - 1275
Digital Object Identifier 10.1109/8.791942
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(268 KB) IEEE JNL
- ☐ 3. **Incoherent estimation on co-channel interference probability for microcell**
Li-Chun Wang; Chin-Tau Lea;
Vehicular Technology, IEEE Transactions on
Volume 45, Issue 1, Feb. 1996 Page(s):164 - 173
Digital Object Identifier 10.1109/25.481834
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(764 KB) IEEE JNL
- ☐ 4. **European Radio Propagation and Subsystems Research for the Evolution of Communications [Guest]**
Prasad, R.;
Communications Magazine, IEEE
Volume 34, Issue 2, Feb. 1996 Page(s):58
Digital Object Identifier 10.1109/MCOM.1996.481298
[AbstractPlus](#) | Full Text: [PDF](#)(172 KB) IEEE JNL
- ☐ 5. **An overview of multi-carrier CDMA**
Prasad, R.; Hara, S.;
Spread Spectrum Techniques and Applications Proceedings, 1996., IEEE 4th International Symposium on
Volume 1, 22-25 Sept. 1996 Page(s):107 - 114 vol.1
Digital Object Identifier 10.1109/ISSSTA.1996.563752
[AbstractPlus](#) | Full Text: [PDF](#)(748 KB) IEEE CNF
- ☐ 6. **Using smart diagnostic scheme for fault detection in the fault tolerant systems with intermittent and permanent faults causing digital system failure**
Prasad, V.B.;

Southeastcon '96. 'Bringing Together Education, Science and Technology', Pr
IEEE

11-14 April 1996 Page(s):62 - 65

Digital Object Identifier 10.1109/SECON.1996.510026

[AbstractPlus](#) | Full Text: [PDF](#)(268 KB) IEEE CNF

- ☐ 7. **DS-CDMA, MC-CDMA and MT-CDMA for mobile multi-media communication**
Hara, S.; Prasad, R.;
Vehicular Technology Conference, 1996. 'Mobile Technology for the Human R.
Volume 2, 28 April-1 May 1996 Page(s):1106 - 1110 vol.2
Digital Object Identifier 10.1109/VETEC.1996.501483
[AbstractPlus](#) | Full Text: [PDF](#)(436 KB) IEEE CNF
- ☐ 8. **Wideband indoor channel measurements and BER analysis of frequency multipath channels at 2.4, 4.75, and 11.5 GHz**
Janssen, G.J.M.; Stigter, P.A.; Prasad, R.;
Communications, IEEE Transactions on
Volume 44, Issue 10, Oct. 1996 Page(s):1272 - 1288
Digital Object Identifier 10.1109/26.539768
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1176 KB) IEEE JNL
- ☐ 9. **Performance degradation due to code tracking errors in spread-spectrum multiple-access systems**
Hart, B.W.; van Nee, R.D.J.; Prasad, R.;
Selected Areas in Communications, IEEE Journal on
Volume 14, Issue 8, Oct. 1996 Page(s):1669 - 1679
Digital Object Identifier 10.1109/49.539422
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(864 KB) IEEE JNL
- ☐ 10. **Microstructural studies to probe textured growth of sputtered strontium**
Acharya, B.R.; Sundararaman, M.; Venkataramani, N.; Prasad, S.; Shringi, S.
Magnetics, IEEE Transactions on
Volume 32, Issue 5, Part 2, Sept. 1996 Page(s):4544 - 4546
Digital Object Identifier 10.1109/20.539075
[AbstractPlus](#) | Full Text: [PDF](#)(472 KB) IEEE JNL
- ☐ 11. **A new control scheme for improving disturbance rejection in speed controlled magnet synchronous motors**
Srinivasan, B.; Rao, N.J.; Prasad, U.R.; Pittet, A.;
Control Systems Technology, IEEE Transactions on
Volume 4, Issue 4, July 1996 Page(s):437 - 442
Digital Object Identifier 10.1109/87.508892
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(520 KB) IEEE JNL
- ☐ 12. **Progressive transmission of line drawings using the wavelet transform**
Muller, G.; Kloditz, C.; Bons, J.; Prasad, R.;
Image Processing, IEEE Transactions on
Volume 5, Issue 4, April 1996 Page(s):666 - 672
Digital Object Identifier 10.1109/83.491344
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(548 KB) IEEE JNL
- ☐ 13. **Performance analysis of a hybrid DS/SS CDMA system using analytical pico cellular channels**
Cakmak, F.; Rooimans, R.G.A.; Prasad, R.;
Selected Areas in Communications, IEEE Journal on
Volume 14, Issue 3, April 1996 Page(s):580 - 588
Digital Object Identifier 10.1109/49.490292
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(812 KB) IEEE JNL
- ☐ 14. **Properties of two-photon pumped cavity lasing in novel dye doped solid**
He, G.S.; Bhawalkar, J.D.; Chanfeng Zhao; Prasad, P.N.;
Quantum Electronics, IEEE Journal of

Volume 2, 18-21 Aug. 1996 Page(s):555 - 556 vol.2

Digital Object Identifier 10.1109/ISAF.1996.598035

[AbstractPlus](#) | Full Text: [PDF](#)(132 KB) IEEE CNF

- ☐ **23. Control of stoichiometry dependent defects in low temperature GaAs**
Luysberg, M.; Sohn, H.; Prasad, A.; Fujioka, H.; Klockenbrink, R.; Weber, E.R.
Semiconducting and Semi-Insulating Materials Conference, 1996. IEEE
29 April-3 May 1996 Page(s):21 - 26
Digital Object Identifier 10.1109/SIM.1996.570869
[AbstractPlus](#) | Full Text: [PDF](#)(324 KB) IEEE CNF
- ☐ **24. Performance analysis of a dual signal receiver-TDMA/SFH system in a m: environment**
Nollen, A.; Jansen, G.; Prasad, R.;
Personal, Indoor and Mobile Radio Communications, 1996. PIMRC'96., Seven
International Symposium on
Volume 3, 15-18 Oct. 1996 Page(s):1135 - 1139 vol.3
Digital Object Identifier 10.1109/PIMRC.1996.568460
[AbstractPlus](#) | Full Text: [PDF](#)(496 KB) IEEE CNF
- ☐ **25. On the sensitivity of multicarrier transmission over multipath channels to and frequency offset**
Nishookar, H.; Prasad, R.;
Personal, Indoor and Mobile Radio Communications, 1996. PIMRC'96., Seven
International Symposium on
Volume 1, 15-18 Oct. 1996 Page(s):68 - 72 vol.1
Digital Object Identifier 10.1109/PIMRC.1996.567516
[AbstractPlus](#) | Full Text: [PDF](#)(372 KB) IEEE CNF

View: 1-

Indexed by
 Inspec*

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE -